



SAFETY FOOTWEAR

WÜRTH INDUSTRIE SERVICE



STEITZ SECURA

SAFETY FOOTWEAR

EXCLUSIVE

STEITZ

VITAL BACK SYSTEM FOOT CLIMATE TECHNOLOGY FITTING SYSTEM

EXTREMELY EASY ON THE BACK.

„My back hurts!“ Yours too? Almost every employee experiences work-related back pain as well as pain in the musculoskeletal system. They are the most frequent reasons for absence periods. Because back pain often becomes chronic, it is especially important to take preventive measures before a problem occurs, and also do something about existing errors in posture and excessive strain. Selecting the right kind of shoe plays a decisive role in this!

Health starts at the feet. How many hours a day do you stand in your safety shoes? Probably longer than in any other kind of shoe. And that is why the fit and comfort of safety shoes is especially significant. This is how we see it: Steitz Secura shoes should adapt to the person wearing them – not the other way around! That is why we've developed technologies that adjust to your individual requirements. For example, the multiple-width system and the exchangeable SECURA VARIO® heel damping.

Or the VARIO MULTIFLEX® multi-zone damping that relieves the forefoot as well. Because the forefoot becomes increasingly sensitive to pressure with age!

We're very proud of this: The Aktion Gesunder Rücken e. V., and the Bundesverband der deutschen Rückenschulen (BdR) e.V., an organisation devoted to back health, have certified the SECURA VARIO® system as particularly easy on the back. We are delighted by this sign of recognition because Aktion Gesunder Rücken e. V. has developed strict criteria for everyday products that are easy on the back and works closely with physicians, health insurance companies and the most important professional associations. Safety shoes with the SECURA VARIO® system are the only ones that meet our high standards! They were certified with the seal of approval by the Aktion Gesunder Rücken.





SECURA VARIO® SYSTEM.

EASING BACK STRAIN THROUGH INDIVIDUAL HEEL DAMPING.

Custom-tailored damping: The exchangeable, weight- and load-adjusted heel damping is adjusted to the individual requirements of the wearer. The excellent damping behaviour reduces the pressure load in the shoe to a natural level, relieves the back and significantly reduces fatigue.



VARIO MULTIFLEX®.

ALMOST LIKE WALKING BAREFOOT


Many safety shoes influence the natural movement of the foot and constrain its flexibility. The resulting leverage forces cause knee pain and back problems and can result in twisted ankles. That won't happen with us! Through intelligent adjustments to the shoe, we reduce undesired leverage forces: for example, by changing the geometry of the outer sole or reducing the sole thickness. One result of the VARIO Multiflex® technology is the multi-flexible sole.



CLIMATE COMFORT.

NOT TOO COLD, NOT TOO WARM, JUST RIGHT.

A perfect climate for your feet: With the climate comfort concept, we make sure you will feel comfortable in your shoes for many hours on end. For a pleasant-to-wear feeling, we only use climate- and skin-friendly materials. We use Gore-Tex as an effective climate-membrane. Inside the shoe is the heart of the STEITZ climate comfort concept, the leather insole. The sole made of real, vegetable-tanned leather with skin-friendly pH-value adjusts to the foot individually. It also stores humidity that is carried away from the foot through our insoles. This avoids heat build-up and unpleasant perspiration inside the shoe.



THE STEITZ SECURA MULTI-WIDTH SYSTEM.

NO FOOT IS AS LONG AND WIDE AS ANOTHER.

Safety shoes with the unique Steitz Secura multi-width system ensure that the wearer will have the best possible individual adjustment. Four different widths per shoe length ensure a perfect fit. Almost all models in our current collection are available in four different widths..

WHAT KIND OF PROTECTION DO YOU NEED?

PROTECTION CLASSES EN ISO 20345



PROTECTION CLASS S1
according EN ISO 20345



PROTECTION CLASS S2
according EN ISO 20345



PROTECTION CLASS S3
according EN ISO 20345



PROTECTION CLASS S1P
according to EN ISO 20345,
additional puncture resistance



PROTECTION CLASS SB
according to EN ISO 20345,
with open heel area,
additionally antistatic

PROTECTION FEATURES



ALUMINIUM TOE CAP
toe cap made of aluminium



STEEL TOE CAP
toe cap made of steel



COMPOSITE TOE CAP
metal free toe cap, made of composite
materials



STEEL MIDSOLE
puncture resistant steel midsole



TEXTILE PUNCTURE RESISTANCE
highly flexible, metal free
puncture resistance



ESD
protection against electrostatic discharge

PREVENTIVE HEALTHCARE



SECURA VARIO® SYSTEM
weight dependent heel shock absorption



ORIGINAL STEITZ MULTI-WIDTH SYSTEM
4 different widths per shoe size



VARIO MULTIFLEX®
shoe construction with reduced lever arm



VARIO VITALITY®
multi-zone shock absorption



STEITZ FLEX-ZONE®
outsole with flexion zone



SECURA CARE
heel cushioning



LEATHER-INSOLE

SPECIAL FEATURES



FIRE FIGHTER BOOTS
according to EN 15090:2012



INNER LINING
warm winter lining,
good thermal insulation



CUT PROTECTION CLASS 2
cut protection tested according to
EN ISO 17249:2013



INSOLE TREATMENT
tested according to
DGVU Rule 112-191



GORE-TEX
membrane system, waterproof and
highly breathable

Subject to technical modifications.
Different soles may be used for extreme sizes.



VD PRO 1000 ESD

EN ISO 20345:2011 S1 SRC



Sizes: 36 - 50 (225 - 322)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, light-blue

Light-weight microfibre combined with perforated design for optimal ventilation, velcro fastening strap, shaft applications, aluminium toe cap, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S1P version: [VD PRO 1000 SF](#)



VD PRO 1100 ESD

EN ISO 20345:2011 S1 SRC



Sizes: 36 - 50 (225 - 322)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, light-blue

Light-weight microfibre combined with perforated design for optimal ventilation, dust flap, shaft applications, aluminum toe cap, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S1P version: [VD PRO 1100 SF](#)



VD PRO 1500 ESD

EN ISO 20345:2011 S2 SRC



Sizes: 36 - 50 (225 - 322)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, light-blue

Light-weight microfibre, seamless shoe design, dust flap, shaft applications, aluminium toe cap, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [VD PRO 1500 SF](#)



VD PRO 1800 ESD

EN ISO 20345:2011 S2 SRC



Sizes: 36 - 50 (225 - 322)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, light-blue

Light-weight microfibre, seamless shoe design, dust flap, shaft applications, cushioned collar, aluminum toe cap, functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [VD PRO 1800 SF](#)



reddot design award
winner 2018



GERMAN
DESIGN
AWARD
WINNER
2018



VD PRO 3500 BOA

EN ISO 20345:2011 S2 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, white

Light-weight and smooth microfiber, seamless shoe design, BOA closure system, dust flap, shaft applications, aluminum toe cap, breathable, functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in blue version: [VD PRO 1500 BOA](#)



VD PRO 3800 BOA

EN ISO 20345:2011 S2 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, white

Light-weight and smooth microfiber, seamless shoe design, BOA closure system, dust flap, shaft applications, cushioned collar, aluminum toe cap, breathable, functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in blue version: [VD PRO 1800 BOA](#)



VD PRO 3500 ESD

EN ISO 20345:2011 S2 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, black

Light-weight and smooth microfiber, seamless shoe design, dust flap, shaft applications, aluminium toe cap, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [VD PRO 3500 SF](#)



VD PRO 3800 ESD

EN ISO 20345:2011 S2 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Athletic ESD, black

Light-weight and smooth microfiber, seamless shoe design, dust flap, shaft applications, cushioned collar, aluminum toe cap, breathable, functional lining, leather, insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [VD PRO 3800 SF](#)



VX PRO 7550 ESD
EN ISO 20345:2011 S2 SRC CI



Sizes: 36 - 50 (225 - 322)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Active ESD, silver-grey

Full-grained smooth leather, dust guard tongue, toe guard, shaft applications, aluminium toe cap, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [VX PRO 7550 S3](#)



VX PRO 7750 S3
EN ISO 20345:2011 S3 SRC



Sizes: 36 - 50 (225 - 322)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Active ESD, silver-grey

Full-grained smooth leather, dust guard tongue, toe guard, shaft applications, steel midsole, breathable, functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [VX PRO 7750 S3](#)



VX 7500 ESD S3
EN ISO 20345:2011 S3 SRC CI HRO



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: Perbunan Dynamics ESD, grey-orange

Full-grained smooth leather, dust guard tongue, toe guard, shaft applications, aluminium toe cap, puncture-resistant steel midsole, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S2 version: [VX PRO 7500 ESD](#)



VX 7600 ESD S3
EN ISO 20345:2011 S3 SRC CI HRO



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: Perbunan Dynamics ESD, grey-orange

Full-grained smooth leather, dust guard tongue, toe guard, shaft applications, aluminium toe cap, puncture-resistant steel midsole, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S2 version: [VX PRO 7600 ESD](#)



ESD AL 711 PLUS
EN ISO 20345:2011 S1 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Dynamics ESD, white

Lightweight textile upper combined with breathable textile inserts, velcro fastening strap, reflective applications, aluminium toe cap, breathable functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S1P version: [ESD DX 711 SF](#)



ESD AL 741 PLUS
EN ISO 20345:2011 S1 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Dynamics ESD, white

Lightweight textile upper, perforation for optimal ventilation, reflective applications, aluminium toe cap, breathable functional lining, soft vamp-lining made of real leather, leather insole, comfort insole ERGO-SOFT ESD

Also in S1P version: [ESD DX 741 SF](#)



ESD AL 742 PLUS
EN ISO 20345:2011 S2 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Dynamics ESD, silver-grey

Soft nubuck leather, reflective applications, snug-fitting, soft vamp-lining made of real leather, breathable, functional lining, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [ESD DX 742 SF](#)



ESD AL 782 PLUS
EN ISO 20345:2011 S2 SRC



Sizes: 36 - 48/49 (225 - 315)
Fitting Options: NB, XB (S, XXB)
Outsole: TPU Dynamics ESD, silver-grey

Soft nubuck leather, reflective applications, aluminium toe cap, breathable functional lining, soft vamp-lining made of real leather, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: [ESD DX 782 SF](#)



SW 901

EN ISO 20345:2011 S2 SRC



Sizes: 35 - 42 (217 - 270)
 Fitting Options: NB, XB
 Outsole: TPU Woman Business, black-anthracite

Full-grained smooth leather, snug-fitting, soft lining made of real leather, leather insole, insole WOMEN BUSINESS ESD



SW 908

EN ISO 20345:2011 S1 SRC



Sizes: 35 - 42 (217 - 270)
 Fitting Options: NB, XB
 Outsole: TPU Woman Business ESD, black-anthracite

Full-grained smooth leather, snug-fitting, elastic on both sides, soft lining made of real leather, leather insole, insole WOMEN BUSINESS ESD



OFFICER 2

EN ISO 20345:2011 S2 SRB



Sizes: 39 - 50 (247 - 322)
 Fitting Options: NB, XB (S, XXB)
 Outsole: TPU LS Professional ESD, anthracite

Full-grained smooth leather, snug-fitting, soft lining made of real leather, leather insole, comfort insole ERGO-SOFT ESD

Also in S3 version: **OFFICER 2 NR**



OFFICER 1

EN ISO 20345:2011 S1 SRB



Sizes: 39 - 50 (247 - 322)
 Fitting Options: NB, XB (S, XXB)
 Outsole: TPU LS Professional ESD, anthracite

Full-grained smooth leather, application, steel toe cap, soft vamp-lining made of real leather, leather insole, comfort insole ERGO-SOFT ESD

THERMO REALIZER

ITEM NO. Z51000

The selection of the right foot bed insole should be as specific as the individual foot of the shoe wearer. The THERMO REALIZER is an innovative way to provide individual foot bed advice.

The person stands on the Thermo Realizer for five seconds (in socks). The body heat generated creates a print showing the stressed zones of the foot. This footprint is compared with the sketches shown next to it, showing you directly which insole is required.

Box contents:

Thermo Realizer, microfibre cloth, disinfectant spray, manual



INSOLE ORTHO-SOFT ESD

SIZES: 35 - 48


Insole adapted to the foot shape with individually selectable support of the longitudinal arch.



The anatomically shaped foam insert supports attenuation over the entire walking area and relieves sensitive pain and pressure points. The insole is suitable for ESD shoes.


HIGH (ITEM NO. Z25600)

Strong support of the longitudinal arch. Particularly suitable for high arches.




MEDIUM (ITEM NO. Z25700)

Reinforced support of the longitudinal arch. Particularly suitable for normal and fallen arches.



LOW (ITEM NO. Z25800)

Reinforced support of the longitudinal arch. Particularly suitable for normal and fallen arches.





INSOLE ERGO-SOFT ESD

ITEM NO.: Z25400
SIZES: 35 - 48

The soft-foam comfort insole supports absorption throughout the entire contact surface and ensures a comfortable fit.



INSOLE ERGO-COOL® ESD

ITEM NO.: Z25300
SIZES: 35 - 48

The cushioning grid structure of the full-length comfort insole ensures air circulation and thereby optimum climate comfort



SIZING KIT MEN/WOMEN

ITEM NO. Z50001 MEN (SIZE 39 - 47)
ITEM NO. Z50005 WOMEN (SIZE 36 - 42)

Mould measuring system for simple and reliable determination of optimal shoe size and width. With multilingual instructions.



SHOE HYGIENE SPRAY BOTTLE (100 ML CARE SOLUTION)

ITEM NO.: Z32100

Alcohol-free maintenance solution „s.h. Fresh“ developed by Dr. med. Karl Matheis, protects against bacteria, prevents athlete's foot and deodorises with a clean, fresh scent.



LEAVING FOOTPRINTS

Whether it workers, craftsmen, engineers, warehouse operatives, firefighters, paramedics. These people work hard to protect and help. The doers. People who embrace the challenge and break new ground. Who leave a mark! Each small act ensures the bigger objectives are achieved.

Steitz Secura is always there, every step of the way, because of what we have in common. Because we are extremely proud of what we create and do. With our hands, and passion for excellence.

MICHAEL HUTH | 42 | MANAGING DIRECTOR



STEITZ SECURA
SAFETY FOOTWEAR